



### Standard

**CAL EXT** **Adjusting program (CAL):**  
For quick setting of the balance's accuracy. External adjusting weight required.

**UNIT** **Weighing units:** can be switched to e.g. non-metric units at the touch of a key. See balance model.

**BAT** **Battery operation:**  
The battery type is specified for each device.

**Animal weighing program:**  
strong vibrations are filtered out.

**230 V** **Mains adapter:** 230 V/50Hz in standard version for Germany. On request GB, AUS or USA version.

**TAR** **Tare:** put back displayed value to „0“ during weighing process, e.g. to add or remove weighing material from a container.

### KERN EOB • EOB-M • EOS Platform scale

Affordable parcel scale, now verifiable

Order Hotline:  
Go to back page of catalogue

#### STANDARD



**Stand** to elevate the display device, stand height approx. 450 mm, only for models with platform size ≤ 310 x 300 mm, **KERN EOB-A01**

#### Multi data hold function

By pressing the **Hold** key the

- weight display can be "frozen" for 5 sec
- weight display can be "frozen" until any key is pressed



**Advantages of KERN EOS**

- ✓ Rubber mat
- ✓ 2 rollers and handle for easy transport of the scale

**Rubber mat** as standard. Can be reordered, **KERN EOS-A01**

945 x 505 x 75 mm, illustrated

#### General of all

**Large LCD Display** digit height 25 mm



**Battery operation possible**  
Battery size AA (6x 1.5V) not included. **AUTO-OFF** function after 3 min with no load change to preserve battery. Operating time approx. 60 h

**Wall mount** for display device, standard



Model	Weighing range	Read-out	Verific. value	Min. load	Net weight approx.	Dimensions Platform	OPTIONS alternative						
							Max kg	d g	e g	Min g	Verifi- cation KERN	M III	Certifi- cate KERN
KERN													
EOB 6K5N	6	5	-	-	4	310 x 300 x 55							963-128
EOB 15K10N	15	10	-	-	4	310 x 300 x 55							963-128
EOB 35K20N	35	20	-	-	4	310 x 300 x 55							963-128
EOB 60K50N	60	50	-	-	4	310 x 300 x 55							963-129
EOB 60K50NL	60	50	-	-	14	550 x 550 x 65							963-129
EOB 150K100N	150	100	-	-	4	310 x 300 x 55							963-129
EOB 150K100NL	150	100	-	-	14	550 x 550 x 65							963-129
EOB 150K100NXL	150	100	-	-	24	945 x 505 x 65							963-129
EOB 300K100N	300	100	-	-	4	310 x 300 x 55							963-129
EOB 300K200NL	300	200	-	-	14	550 x 550 x 65							963-129
EOB 300K200NXL	300	200	-	-	24	945 x 505 x 65							963-129
EOS 150K100NXL	150	100	-	-	25	900 x 550 x 60							963-129
EOS 300K200NXL	300	200	-	-	25	900 x 550 x 60							963-129
							<b>Verifiable</b>						
EOB 6K2M	6	2	2	40	3,6	290 x 270 x 50							950-128
EOB 15K5M	15	5	5	100	3,6	290 x 270 x 50							950-128
EOB 30K10M	30	10	10	200	3,6	290 x 270 x 50							950-128
EOB 60K20M	60	20	20	400	3,6	290 x 270 x 50							950-129
EOB 150K50M	150	50	50	1000	3,6	290 x 270 x 50							950-129

**42** **1** Factory verification, location of use with post code required.  
Display device WxDxH 210x110x45 mm.

Permitted environmental temperature +10 ... +35 °C.  
\*only with non-verified models.

### KERN - Your DKD-Calibration Partner

issues DKD calibration certificates for balances and test weights in its own accredited laboratories. It is internationally valid.

KERN is a manufacturer of test weights in the international classes of accuracy **E1, E2, F1, F2, M1, M2, M3, from 1 mg up to 2000 kg**  
**DKD = German Calibration Service**



Your KERN specialist dealer